


WAGO Marking

Sample Booklet



WAGO®

Industry's Fastest and Most Efficient Marking System

WAGO marking accessories, printers and software are perfectly integrated:

- Inline marker slots on DIN-rail terminal blocks for fast marking via markers and marking strips
- Multi-line marking strips for clear marking in the control cabinet
- ProServe® software and printers provide custom marking solutions
- Easy-to-separate inline markers for multi-level terminal blocks
- Professional DYMO 3M PL300 Mobile Printer: Convenient, software-free marking for electrical installations
- Marking strips suitable for all TOPJOB® S DIN-rail terminal blocks

Contents

Marking Accessories

Terminal Block Marking	4
Cable and Wire Marking	10
Device Marking	20

ProServe® Software

Designing · Ordering · Marking	38
--------------------------------	----

Printers	40
-----------------	----



Terminal Block Marking

Clear marking is essential in helping ensure error-free wiring for greater safety and reliability.

WAGO offers several options for implementing the right marking solution at the right price. Clearly organize and label all control cabinet components using time-saving marking strips and WMB Inline markers.

Industry-leading advantages: WAGO even allows multi-line marking for added convenience. Continuous marking strips are supplied on rolls and fit across terminal blocks of different sizes.

WMB Inline markers are connected to one another and can be affixed to 4 - 4.2 mm and 5 mm or 5.2 mm wide terminal blocks. They can be separated for wider terminal blocks. They are versatile and ready for use on terminal blocks ranging from one to four levels.

See how WAGO streamlines all marking!

Block A- X.20

Block A- X.21


Block A- X

27 28 29 30 31 32 33 34 35 36 37 38 39

40 41 42 43

Marking Strips

Item No.	Width	Roll
709-177	7.5 mm	50 m
709-178	7.5 mm	50 m
757-901/000-050	10 mm	50 m
2009-110 (sample)	11 mm	50 m



Markers from the Roll

WMB Inline and Mini-WSB Inline

Item No.	Size	Roll
2009-114	4.0 - 4.2 mm	2,000 pcs
2009-115 (WMB Inline, top image)	5.0 - 5.2 mm	1,500 pcs
2009-145 (Mini-WSB Inline, bottom image)	5.0 - 5.2 mm	1,800 pcs
2009-134 and 2009-135 with 8,000 or 9,500 pcs/roll available upon request		

Suitable for TP 298+ Printer and **smart**PRINTER



Cable and Wire Marking

WAGO offers versatile options for marking cables and wires – even on the most varied of marking surface sizes!

The choice is yours: Whether you prefer marking sleeves, self-laminating labels, or wire markers for thread-on mounting – WAGO has the right solution for any application.

**Need more flexibility?
WAGO is ready to help.**



AM.08

AM.09

AM.10

AM.11

AM.13

AM.12

AM.14

AM.15

AM.16

AM.17

Marking Sleeves

Black

Item No.	Length	Wire Diameter
211-112*	12 mm	1.6 - 3.2 mm
211-113*	12 mm	2.2 - 4.5 mm
211-114*	12 mm	3.7 - 5.9 mm
211-115*	12 mm	5.5 - 10 mm
211-122** (sample)	23 mm	1.6 - 3.2 mm
211-123**	23 mm	2.2 - 4.5 mm
211-124**	23 mm	3.7 - 5.9 mm
211-125**	23 mm	5.5 - 10 mm
211-129***	23 mm	*** can be subsequently secured with cable ties

Item no. for suitable marker card: *211-111 **211-121
Suitable for all printers, except **smart**PRINTER

Transparent

211-812*	12 mm	1.4 - 5.0 mm
211-813*	12 mm	5.0 - 11.0 mm
211-823**	23 mm	1.4 - 5.0 mm
211-824**	23 mm	5.0 - 11.0 mm
211-829***	23 mm	*** can be subsequently secured with cable ties

Item no. for suitable marker card: *211-811 **211-821
Suitable for all printers, including **smart**PRINTER

Gbd. X1-3.Etage
B110RX

Gbd. X1-2.Etage
B110A

Gbd. X1-1.Etage
B110A

Gbd. X1-2.Etage
B110A

Cable Tie Markers

Item No.	Size/Writable Surface
211-135* (sample)	2 lines/25 x 10 mm
211-835**	1 line/25 x 10 mm
807-0090/0101-0100	100 m/matching cable tie

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER

A.0001

A.0002

A.0003

A.0004

A.0005



Gbd. RT4 - XS233

L1

L2

L3

N

PE

Self-Laminating Labels

Item No.	Size/Writable Surface	Cable Diameter
211-155* (sample)	5 lines/18 x 35 mm	max. 9 mm
211-156*	4 lines/23 x 51 mm	max. 12 mm
211-855**	2 lines/18 x 9 mm	max. 9 mm
211-856**	2 lines/23 x 12 mm	max. 12 mm

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER



X.26 - B2

X.27 - B2

X.28 - B2

X.29 - B2

X.30 - B2

X.31 - B2

X.32 - B2

X.33 - B2

X.34 - B2

X.35 - B2

Wire Markers for Thread-On Mounting

Item No.	Size/Writable Surface	Wire Marking
211-161*	4 lines/5 x 10.5 mm	0.75 - 1.5 mm ²
211-162* (sample)	4 lines/7 x 10.5 mm	2.5 - 6.0 mm ²
211-861**	3 lines/5 x 10.5 mm	0.75 - 1.5 mm ²
211-862**	3 lines/7 x 10.5 mm	2.5 - 6.0 mm ²

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER

Device Marking

WAGO offers a select assortment of labels, push-button markers, fabric labels, and type plates for optimal marking of devices and control cabinets.

Most labels can be conveniently printed directly from the roll. In addition, various colors and sizes are available, as well as borders, for push-button markers or plastic covers. Take advantage of WAGO's free ProServe® Software to easily convert to the desired marking!



A1-28 K

Block
A2-15 M

Block
A2-16 M

Block
A2-17 M

Block
A2-18 M

A2-19 M


A2-20 M

A2-21 M

Self-Adhesive Marking Strips

Item No.	Width	Roll
210-702	15 mm	50 m

Suitable for all printers, including **smart**PRINTER



12 22 32 42 52 62 72 82

11 21 31 41 51 61 71 81

14 24 34 44 54 64 74 84

Self-Adhesive Continuous Labels

Item No.	Size/Number of Strips	Roll
210-732*	3.0 mm/12	25 m
210-831**	2.3 mm/9	25 m
210-832** (sample)	3.0 mm/9	25 m
210-833**	6.0 mm/5	25 m
210-834**	5.0 mm/5	25 m

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER

NO | NC | NC | NO

DC
24V

NO | NC | NC | NO

13 21 31 43

13 21 31 43

A1+

3RH

22E

X.13

22E

X.14

G/970217

3RH1122-28840

14 22 32 44

A2-

NO | NC | NC | NO

G/970217

3RH1122-28840

14 22 32 44

NO | NC | NC | NO

Self-Adhesive Labels

Item No.	Size	Roll/Color
210-705*	6 x 15 mm	3,000 pcs/white
210-705/000-002*	6 x 15 mm	3,000 pcs/yellow
210-706*	9 x 15 mm	3,000 pcs/white
210-706/000-002*	9 x 15 mm	3,000 pcs/yellow
210-707*	8 x 20 mm	3,000 pcs/white
210-707/000-002*	8 x 20 mm	3,000 pcs/yellow
210-805**	6 x 15 mm	3,000 pcs/white
210-805/000-002**	6 x 15 mm	3,000 pcs/yellow
210-806**	9 x 15 mm	3,000 pcs/white
210-806/000-002** (sample)	9 x 15 mm	3,000 pcs/yellow
210-807**	8 x 20 mm	3,000 pcs/white
210-807/000-002**	8 x 20 mm	3,000 pcs/yellow

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER

Self-Adhesive Fabric Labels

Item No.	Size	Roll/Color
210-811	7 x 20 mm	3,000 pcs/white
210-811/000-002 (sample)	7 x 20 mm	3,000 pcs/yellow

Suitable for all printers, including **smart**PRINTER

X-15

Stage C3 3. Etage C4

S-11

S-12

MBS 110

010

000

000/100

Self-Adhesive Labels

Item No.	Size	Roll/Color
210-708*	5 lines/9.5 x 25 mm	1,500 pcs/white
210-808**(sample)	3 lines/9.5 x 25 mm	1,500 pcs/white
249-119	Height-adjustable group marker carrier	

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER



S.11 - 98 X2

Self-Adhesive Labels

Item No.	Size	Roll/Color
210-710*	2 lines/35 x 5 mm	1,500 pcs/white
210-810** (sample)	1 line/35 x 5 mm	1,500 pcs/white

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER

Gebäude V3

2. Etage Nord



Serien-Nr. XW1123-B33478

Baujahr Jan/2012



WAGO
Kontakttechnik GmbH
Hansastraße 27 32423 Minden
Tel. 0571/ 887-0

Type Plates

Item No.	Size	Color
210-703*	100 x 70 mm	white
210-704*	100 x 70 mm	silver
210-803**	99 x 44 mm	white
210-804 (sample)**	99 x 44 mm	silver

* Suitable for all printers, except **smart**PRINTER

** Suitable for all printers, including **smart**PRINTER



210-855

PUSH
BUTTON

210-855

PUSH
BUTTON

210-855

PUSH
BUTTON

210-855

PUSH
BUTTON

210-855

PUSH
BUTTON

ST

Push-Button Markers

Item No.	Size	Roll/Color	Additional Specifications
210-850	26.5 x 18.0 mm	1,000 pcs/silver	Semi-permanent adhesive
210-851	26.5 x 18.0 mm	100 pcs/transp.	Plastic cover
210-852	27.0 x 19.0 mm	350 pcs/silver	Permanent adhesive
210-853	27.0 x 19.0 mm	100 pcs/black	Push-button border
210-854 (sample)	28.0 x 28.0 mm	500 pcs/silver	Permanent adhesive
210-855	27.0 x 18.0 mm	350 pcs/silver	Permanent adhesive
210-856	27.5 x 17.5 mm	1,000 pcs/silver	Semi-permanent adhesive
210-857	27.5 x 17.5 mm	100 pcs/ transp.	Plastic cover

ProServe® Software:

Designing · Ordering · Marking



The image shows a laptop displaying a technical drawing of a terminal block assembly. A large grey arrow points from the laptop towards the right. Below the laptop, a white box contains logos for various CAE software systems supported by ProServe:

- WSCAD electronic GmbH
- RUPLAN
- see electrical CAAdy™
- ELCAD
- AutoCAD
- Engineering Base
- ePLAN®
- E-series
- Comos®
- promis engine graphiCAE
- ACTIVE CAD

Easy online configuration and marking of terminal block assemblies with all CAE systems using ProServe® - no software installation required.



smartSCRIPT

Software for easy marking.
Printers can be directly controlled from here.

Rail Assembly



2D/3D Data Export



smartDESIGNER NG

New online configurator for simple and effective design
of rail-mounted terminal blocks and I/O modules.
One tool for ordering or printing.

Thermal Transfer Printers



TP 298+
258-298

TP 343+
258-343



smartPRINTER
258-5000

Mobile Printer

DYMO 3M PL300
258-6000



Everything you need to know about printers, time-saving accessories and marking materials is available at:

www.wago.com/printer



<http://eshop.wago.com>

WAGO Kontakttechnik GmbH & Co. KG
Postfach 28 80 · D - 32385 Minden
Hansastraße 27 · D - 32423 Minden
Germany

Phone: +49 571 887- 0
Fax: +49 571 887-169
E-mail: info@wago.com
Online: www.wago.com

WAGO[®]